

**CCR # 96-1078A****Table 1: Level 4 Requirement Modification Table**

RTM baseline 07-31-96

L4 id	req_key	rel	req_type	req_status	ver_method	ver_status	clarification	text
C-HRD-36000	891	A B	functional	approved	test	<u>un-verified</u>		The EOC LAN loop delay contribution shall not exceed more than 500 msec (goal 250 msec) seconds of the total ECS delay of 2.5 seconds for emergency real-time commands.

**Table 2: Level 4 Requirement Deletion Table**

RTM baseline 07-31-96

L4 id	req_key	rel	req_type	req_status	ver_method	ver_status	clarification	text
S-CLS-15650	4908	A	functional	incremental	demo			The WKBCH CI shall provide an interface for users to obtain data products from the NOAA SAA.
S-DSS-01810	3424	A	functional	approved	demo			The MSFC DAAC SDSRV CI shall support TRMM end-to-end testing 9 months before TRMM launch.
S-DSS-03366	9733	A	interface	approved	test			The SDSRV CI shall be capable of receiving inventory characteristic data.
C-MSS-10060	4890	A	interface	approved	test			The MSS shall interface with the Tropical Rainfall Measuring Mission (TRMM) to exchange data identified in Table 5.1 as specified in ECS/TRMM IRD, 192-219-SE1-018.

C-MSS-10070	-145	A	interface	approved			The MSS shall interface with the Landsat 7 System to exchange data identified in Table 5.1-1 as specified in ECS/Landsat 7 IRD 219-CD-003.
S-DPS-60020	4674	A	functional	approved	demo		The SPRHW CI shall support the capability to stage and destage data.
S-DPS-61040	1004 6	A	functional	approved	demo		The SPRHW CI computer platform shall provide a hard media device for software and system maintenance and upgrade support.
S-DSS-01800	-3423	A	functional	approved	demo		The LaRe DAAC SDSRV CI shall support TRMM end-to-end testing 9 months before TRMM launch.
S-PLS-61610	4357	A	performance	approved	demo		Each PLNHW CI workstation platform shall provide a hard media device with a capacity of TBD GB for software and system maintenance and upgrade support.
S-PLS-61530	4356	A	functional	approved	demo		The PLNHW CI shall contain the processing, storage, and interface resources to support the planning functions for the TRMM mission instruments of CERES and LIS.
S-INS-60110	4156	A	functional	approved	demo		The ICLHW CI shall support the hardware resource requirements of the INGST CI and its interface requirements with the operations staff.

Baseline 7/31/96

Table 3 - Link Addition Table: This table identifies NEW links which are to be added to the RTM database for orphaned Release A L4s; ref. RTM Main 9-4-96

RBR ID	L4 ID
ESN-1380#A	C-CSS-21225
EOSD1703#A	C-HRD-11565

EOSD1703#A	C-HRD-11570
SMC-2510#A	C-HRD-11575
SMC-8305#A	C-HRD-12505
EOSD0030#A	C-HRD-12505
EOSD1703#A	C-HRD-12505
EOSD1703#A	C-HRD-12565
EOSD1703#A	C-HRD-12570
SMC-2510#A	C-HRD-12575
EOSD4035#A	C-HRD-21010
EOSD1703#A	C-HRD-21565
EOSD1703#A	C-HRD-21570
SMC-2510#A	C-HRD-21575
EOSD4035#A	C-HRD-22010
EOSD1703#A	C-HRD-22010
EOSD1990#A	C-HRD-22010
EOSD2510#A	C-HRD-22010
EOSD2100#A	C-HRD-22010
EOSD1703#A	C-HRD-22565
EOSD1703#A	C-HRD-22570
SMC-2510#A	C-HRD-22575
EOSD1703#A	C-HRD-23565
EOSD1703#A	C-HRD-23570
SMC-2510#A	C-HRD-23575
EOSD4100#A	C-ISS-01200
EOSD1605#A	C-ISS-02510
EOSD0730#A	C-MSS-10300
SMC-1000#A	C-MSS-36042
SMC-1000#A	C-MSS-36045
SMC-1000#A	C-MSS-36052
SMC-1000#A	C-MSS-36055
SMC-6320#A	C-MSS-77090
SMC-6325#A	C-MSS-77090
DADS3126#A	S-DSS-01890

