

Table 1. Add New L4s

<u>L4 -id</u>	<u>key</u>	<u>rel</u>	<u>req_type</u>	<u>req_status</u>	<u>v_method</u>	<u>ver_status</u>	<u>text</u>
<u>C-ISS-21210</u>	<u>new</u>	<u>B0</u>	<u>functional</u>	<u>approved</u>	<u>test/demo</u>	<u>unverified</u>	The ISS-INCI shall ensure that the following calendar transitions are handled completely and accurately: <u>a. New Year</u> <u>b. New Decade</u> <u>c. New Century</u> <u>d. Leap Year..</u>
<u>C-MSS-18370</u>	<u>new</u>	<u>B0</u>	<u>functional</u>	<u>approved</u>	<u>test/demo</u>	<u>unverified</u>	The MSS-MCI shall ensure that the following calendar transitions are handled completely and accurately: <u>a. New Year</u> <u>b. New Decade</u> <u>c. New Century</u> <u>d. Leap Year.</u>
<u>C-MSS-36820</u>	<u>new</u>	<u>B0</u>	<u>functional</u>	<u>approved</u>	<u>test/demo</u>	<u>unverified</u>	The MSS-MACI shall ensure that the following calendar transitions are handled completely and accurately: <u>a. New Year</u> <u>b. New Decade</u> <u>c. New Century</u> <u>d. Leap Year.</u>
<u>C-MSS-45330</u>	<u>new</u>	<u>B0</u>	<u>functional</u>	<u>approved</u>	<u>test/demo</u>	<u>unverified</u>	The MSS-MLCI shall ensure that the following calendar transitions are handled completely and accurately: <u>a. New Year</u> <u>b. New Decade</u> <u>c. New Century</u> <u>d. Leap Year.</u>
<u>C-CLS-01800</u>	<u>new</u>	<u>B0</u>	<u>functional</u>	<u>approved</u>	<u>test/demo</u>	<u>unverified</u>	The DESKT CI shall ensure that the following calendar transitions are handled completely and accurately: <u>a. New Year</u> <u>b. New Decade</u> <u>c. New Century</u> <u>d. Leap Year.</u>
<u>C-CLS-18100</u>	<u>new</u>	<u>B0</u>	<u>functional</u>	<u>approved</u>	<u>test/demo</u>	<u>unverified</u>	The WKBCH CI shall ensure that the following calendar transitions are handled completely and accurately: <u>a. New Year</u> <u>b. New Decade</u> <u>c. New Century</u> <u>d. Leap Year.</u>

<u>L4 -id</u>	<u>key</u>	<u>rel</u>	<u>req_type</u>	<u>req_status</u>	<u>v_method</u>	<u>ver_status</u>	<u>text</u>
<u>C-CSS-10900</u>	<u>new</u>	<u>B0</u>	<u>functional</u>	<u>approved</u>	<u>test/demo</u>	<u>unverified</u>	The CSS DCCI shall ensure that the following calendar transitions are handled completely and accurately: <u>a. New Year</u> <u>b. New Decade</u> <u>c. New Century</u> <u>d. Leap Year.</u>
<u>C-CSS-20160</u>	<u>new</u>	<u>B0</u>	<u>functional</u>	<u>approved</u>	<u>test/demo</u>	<u>unverified</u>	The Directory Service shall ensure that the following calendar transitions are handled completely and accurately: <u>a. New Year</u> <u>b. New Decade</u> <u>c. New Century</u> <u>d. Leap Year.</u>
<u>C-CSS-21235</u>	<u>new</u>	<u>B0</u>	<u>functional</u>	<u>approved</u>	<u>test/demo</u>	<u>unverified</u>	The Security Service shall ensure that the following calendar transitions are handled completely and accurately: <u>a. New Year</u> <u>b. New Decade</u> <u>c. New Century</u> <u>d. Leap Year.</u>
<u>C-CSS-22220</u>	<u>new</u>	<u>B0</u>	<u>functional</u>	<u>approved</u>	<u>test/demo</u>	<u>unverified</u>	The Message Service shall ensure that the following calendar transitions are handled completely and accurately: <u>a. New Year</u> <u>b. New Decade</u> <u>c. New Century</u> <u>d. Leap Year.</u>
<u>C-CSS-23010</u>	<u>new</u>	<u>B0</u>	<u>functional</u>	<u>approved</u>	<u>test/demo</u>	<u>unverified</u>	The Event Service shall ensure that the following calendar transitions are handled completely and accurately: <u>a. New Year</u> <u>b. New Decade</u> <u>c. New Century</u> <u>d. Leap Year.</u>
<u>C-CSS-25185</u>	<u>new</u>	<u>B0</u>	<u>functional</u>	<u>approved</u>	<u>test/demo</u>	<u>unverified</u>	The Time Service shall ensure that the following calendar transitions are handled completely and accurately: <u>a. New Year</u> <u>b. New Decade</u> <u>c. New Century</u>

<u>L4 -id</u>	<u>key</u>	<u>rel</u>	<u>req_type</u>	<u>req_status</u>	<u>v_method</u>	<u>ver_status</u>	<u>text</u>
							<u>d. Leap Year.</u>
<u>C-CSS-26100</u>	<u>new</u>	<u>B0</u>	<u>functional</u>	<u>approved</u>	<u>test/demo</u>	<u>unverified</u>	The Thread Service shall ensure that the following calendar transitions are handled completely and accurately: <u>a. New Year</u> <u>b. New Decade</u> <u>c. New Century</u> <u>d. Leap Year.</u>
<u>C-CSS-28100</u>	<u>new</u>	<u>B0</u>	<u>functional</u>	<u>approved</u>	<u>test/demo</u>	<u>unverified</u>	The Event Logger Service shall ensure that the following calendar transitions are handled completely and accurately: <u>a. New Year</u> <u>b. New Decade</u> <u>c. New Century</u> <u>d. Leap Year.</u>
<u>C-CSS-40430</u>	<u>new</u>	<u>B0</u>	<u>functional</u>	<u>approved</u>	<u>test/demo</u>	<u>unverified</u>	The Subscription Service shall ensure that the following calendar transitions are handled completely and accurately: <u>a. New Year</u> <u>b. New Decade</u> <u>c. New Century</u> <u>d. Leap Year.</u>
<u>C-CSS-60950</u>	<u>new</u>	<u>B0</u>	<u>functional</u>	<u>approved</u>	<u>test/demo</u>	<u>unverified</u>	The File Access Service shall ensure that the following calendar transitions are handled completely and accurately: <u>a. New Year</u> <u>b. New Decade</u> <u>c. New Century</u> <u>d. Leap Year.</u>
<u>C-CSS-61860</u>	<u>new</u>	<u>B0</u>	<u>functional</u>	<u>approved</u>	<u>test/demo</u>	<u>unverified</u>	The Electronic Mail Service shall ensure that the following calendar transitions are handled completely and accurately: <u>a. New Year</u> <u>b. New Decade</u> <u>c. New Century</u> <u>d. Leap Year.</u>
<u>C-CSS-62850</u>	<u>new</u>	<u>B0</u>	<u>functional</u>	<u>approved</u>	<u>test/demo</u>	<u>unverified</u>	The Bulletin Board Service shall ensure that the following calendar transitions are handled completely and accurately: <u>a. New Year</u>

L4 -id	key	rel	req_type	req_status	v_method	ver_status	text
							<u>b. New Decade</u> <u>c. New Century</u> <u>d. Leap Year.</u>
<u>S-DMS-02010</u>	<u>new</u>	<u>B0</u>	<u>functional</u>	<u>approved</u>	<u>test/demo</u>	<u>unverified</u>	<u>The LIMGR CI shall ensure that the following calendar transitions are handled completely and accurately:</u> <u>a. New Year</u> <u>b. New Decade</u> <u>c. New Century</u> <u>d. Leap Year.</u>
<u>S-DMS-11100</u>	<u>new</u>	<u>B0</u>	<u>functional</u>	<u>approved</u>	<u>test/demo</u>	<u>unverified</u>	<u>The DIMGR CI shall ensure that the following calendar transitions are handled completely and accurately:</u> <u>a. New Year</u> <u>b. New Decade</u> <u>c. New Century</u> <u>d. Leap Year.</u>
<u>S-DMS-23940</u>	<u>new</u>	<u>B0</u>	<u>functional</u>	<u>approved</u>	<u>test/demo</u>	<u>unverified</u>	<u>The DDICT CI shall ensure that the following calendar transitions are handled completely and accurately:</u> <u>a. New Year</u> <u>b. New Decade</u> <u>c. New Century</u> <u>d. Leap Year.</u>
<u>S-DMS-33140</u>	<u>new</u>	<u>B0</u>	<u>functional</u>	<u>approved</u>	<u>test/demo</u>	<u>unverified</u>	<u>The GTWAY CI shall ensure that the following calendar transitions are handled completely and accurately:</u> <u>a. New Year</u> <u>b. New Decade</u> <u>c. New Century</u> <u>d. Leap Year.</u>
<u>S-DPS-26040</u>	<u>new</u>	<u>B0</u>	<u>functional</u>	<u>approved</u>	<u>test/demo</u>	<u>unverified</u>	<u>The PRONG CI shall ensure that the following calendar transitions are handled completely and accurately:</u> <u>a. New Year</u> <u>b. New Decade</u> <u>c. New Century</u> <u>d. Leap Year.</u>
<u>S-DPS-45010</u>	<u>new</u>	<u>B0</u>	<u>functional</u>	<u>approved</u>	<u>test/demo</u>	<u>unverified</u>	<u>The AITTL CI shall ensure that the following calendar transitions are handled completely and accurately:</u> <u>a. New Year</u> <u>b. New Decade</u> <u>c. New Century</u> <u>d. Leap Year.</u>

<u>L4 -id</u>	<u>key</u>	<u>rel</u>	<u>req_type</u>	<u>req_status</u>	<u>v_method</u>	<u>ver_status</u>	<u>text</u>
<u>S-DSS-05865</u>	<u>new</u>	<u>B0</u>	<u>functional</u>	<u>approved</u>	<u>test/demo</u>	<u>unverified</u>	The SDSRV CI shall ensure that the following calendar transitions are handled completely and accurately: <u>a. New Year</u> <u>b. New Decade</u> <u>c. New Century</u> <u>d. Leap Year.</u>
<u>S-DSS-10540</u>	<u>new</u>	<u>B0</u>	<u>functional</u>	<u>approved</u>	<u>test/demo</u>	<u>unverified</u>	The DDSRV CI shall ensure that the following calendar transitions are handled completely and accurately: <u>a. New Year</u> <u>b. New Decade</u> <u>c. New Century</u> <u>d. Leap Year.</u>
<u>S-DSS-22120</u>	<u>new</u>	<u>B0</u>	<u>functional</u>	<u>approved</u>	<u>test/demo</u>	<u>unverified</u>	The STMGST CI shall ensure that the following calendar transitions are handled completely and accurately: <u>a. New Year</u> <u>b. New Decade</u> <u>c. New Century</u> <u>d. Leap Year.</u>
<u>S-DSS-31520</u>	<u>new</u>	<u>B0</u>	<u>functional</u>	<u>approved</u>	<u>test/demo</u>	<u>unverified</u>	The DDIST CI shall ensure that the following calendar transitions are handled completely and accurately: <u>a. New Year</u> <u>b. New Decade</u> <u>c. New Century</u> <u>d. Leap Year.</u>
<u>S-INS-03370</u>	<u>new</u>	<u>B0</u>	<u>functional</u>	<u>approved</u>	<u>test/demo</u>	<u>unverified</u>	The INGST CI shall ensure that the following calendar transitions are handled completely and accurately: <u>a. New Year</u> <u>b. New Decade</u> <u>c. New Century</u> <u>d. Leap Year.</u>
<u>S-IOS-00980</u>	<u>new</u>	<u>B0</u>	<u>functional</u>	<u>approved</u>	<u>test/demo</u>	<u>unverified</u>	The ADSRV CI shall ensure that the following calendar transitions are handled completely and accurately: <u>a. New Year</u> <u>b. New Decade</u> <u>c. New Century</u> <u>d. Leap Year.</u>
<u>S-PLS-03100</u>	<u>new</u>	<u>B0</u>	<u>functional</u>	<u>approved</u>	<u>test/demo</u>	<u>unverified</u>	The PLANG CI shall ensure that the following calendar transitions are handled completely and accurately: <u>a. New Year</u> <u>b. New Decade</u>

L4 -id	key	rel	req_type	req_status	v_method	ver_status	text
							c. <u>New Century</u> d. <u>Leap Year.</u>

Table 2: Add new links between RBR and L4s:

RBR	L4
<u>EOSD0500#B</u>	<u>C-ISS-21210</u>
<u>EOSD0500#B</u>	<u>C-MSS-18370</u>
<u>EOSD0500#B</u>	<u>C-MSS-36820</u>
<u>EOSD0500#B</u>	<u>C-MSS-45330</u>
<u>EOSD0500#B</u>	<u>C-CLS-01800</u>
<u>EOSD0500#B</u>	<u>C-CLS-18100</u>
<u>EOSD0500#B</u>	<u>C-CSS-10900</u>
<u>EOSD0500#B</u>	<u>C-CSS-20160</u>
<u>EOSD0500#B</u>	<u>C-CSS-21235</u>
<u>EOSD0500#B</u>	<u>C-CSS-22220</u>
<u>EOSD0500#B</u>	<u>C-CSS-23010</u>
<u>EOSD0500#B</u>	<u>C-CSS-25185</u>
<u>EOSD0500#B</u>	<u>C-CSS-26100</u>
<u>EOSD0500#B</u>	<u>C-CSS-28100</u>
<u>EOSD0500#B</u>	<u>C-CSS-40430</u>
<u>EOSD0500#B</u>	<u>C-CSS-60950</u>
<u>EOSD0500#B</u>	<u>C-CSS-61860</u>
<u>EOSD0500#B</u>	<u>C-CSS-62850</u>
<u>EOSD0500#B</u>	<u>S-DMS-02010</u>
<u>EOSD0500#B</u>	<u>S-DMS-11100</u>
<u>EOSD0500#B</u>	<u>S-DMS-23940</u>
<u>EOSD0500#B</u>	<u>S-DMS-33140</u>
<u>EOSD0500#B</u>	<u>S-DPS-26040</u>
<u>EOSD0500#B</u>	<u>S-DPS-45010</u>
<u>EOSD0500#B</u>	<u>S-DSS-05865</u>
<u>EOSD0500#B</u>	<u>S-DSS-10540</u>
<u>EOSD0500#B</u>	<u>S-DSS-22120</u>
<u>EOSD0500#B</u>	<u>S-DSS-31520</u>
<u>EOSD0500#B</u>	<u>S-INS-03370</u>
<u>EOSD0500#B</u>	<u>S-IOS-00980</u>
<u>EOSD0500#B</u>	<u>S-PLS-03100</u>

Table 3: Reference Table for EOSD0500#B requirement.

paragraph_id	key	segment	type	category	s_v_m	s_v_s	a_v_m	a_v_s	Clarify	req_interpretation	text
EOSD0500#B	8818	FOS SDPS CSMS	functional	mission critical	test	un-verified	test	un-verified		This requirement covers a global perspective of ECS. Therefore, only selected software and hardware requirements are mapped to this RbR. Additional requirements are mapped to RBRs that are more specific.	ECS shall perform the following major functions: a. EOS Mission Planning and Scheduling b. EOS Mission Operations c. Command and Control d. Communications and Networking e. Data Input f. Data Processing g. Data Storage h. Data Distribution i. Information Management j. End-to-End Fault Management k. System Management