

# Table 1- New DSS L4 Requirements

Data reflects RTM baseline of 4/18/97

L4 id	req_key	rel	req_type	req_status	ver_method	ver_status	CCR	clarification	text
<u>S-DSS-21352</u>	<u>new</u>	<u>B0</u>	<u>functional</u>	<u>approved</u>	<u>demo</u>	<u>unverified</u>			<u>The STMGT CI shall have the capability to transfer data to and from 8mm tape.</u>
<u>S-DSS-21354</u>	<u>new</u>	<u>B0</u>	<u>functional</u>	<u>approved</u>	<u>demo</u>	<u>unverified</u>			<u>The STMGT CI shall have the capability to transfer data to and from 4mm tape.</u>
<u>S-DSS-21356</u>	<u>new</u>	<u>B1</u>	<u>functional</u>	<u>approved</u>	<u>demo</u>	<u>unverified</u>			<u>The STMGT CI shall have the capability to transfer data to and from 3480/3490 tape.</u>
<u>S-DSS-21358</u>	<u>new</u>	<u>B0</u>	<u>functional</u>	<u>approved</u>	<u>demo</u>	<u>unverified</u>			<u>The STMGT CI shall have the capability to transfer data to and from CD ROM.</u>
<u>S-DSS-21362</u>	<u>new</u>	<u>B0</u>	<u>functional</u>	<u>approved</u>	<u>demo</u>	<u>unverified</u>			<u>The STMGT CI shall have the capability to transfer data to and from 6250 BPI tape.</u>
<u>S-DSS-21372</u>	<u>new</u>	<u>B0</u>	<u>functional</u>	<u>approved</u>	<u>demo</u>	<u>unverified</u>			<u>The STMGT CI shall transfer data to distribution media as directed by the DDIST CI.</u>
<u>S-DSS-21374</u>	<u>new</u>	<u>B0</u>	<u>functional</u>	<u>approved</u>	<u>demo</u>	<u>unverified</u>			<u>The STMGT CI shall transfer data from ingest media as directed by the INGST CI.</u>
<u>S-DSS-21376</u>	<u>new</u>	<u>B0</u>	<u>functional</u>	<u>approved</u>	<u>demo</u>	<u>unverified</u>			<u>The STMGT CI shall provide the capability for the DDIST CI and the INGST CI to schedule and reserve devices used for the distribution and ingest of data via physical media.</u>

## Table 2- Delete DSS L4 Requirements

**Data reflects RTM baseline of 4/18/97**

L4 id	req_key	rel	req_type	req_status	ver_method	ver_status	CCR	clarification	text
S-DSS-30440	-3857	A	functional	approved	demo				The DDIST CI shall provide the capability to distribute on 8mm tape.
S-DSS-30450	-9766	A	functional	approved	test				The DDIST CI shall provide the capability to distribute on 4mm tape.
S-DSS-30460	-8928	B+	functional	approved	test	unverified			The DDIST CI shall provide the capability to distribute on 3480/3490 tape.
S-DSS-30470	-3860	A	functional	approved	demo				The DDIST CI shall provide the capability to distribute on CD ROM.
S-DSS-30480	-3861	A	functional	approved	demo				The DDIST CI shall provide the capability to distribute on 6250 tape.

**Table 3 - Add DSS L4 Links to RBR#B**  
**Data reflects RTM baseline of 4/18/97**

RBR_id	L4 id
DADS0250#B	S-DSS-21374
DADS0250#B	S-DSS-21376
DADS2490#B	S-DSS-21352
DADS2490#B	S-DSS-21354
DADS2490#B	S-DSS-21356
DADS2490#B	S-DSS-21358
DADS2490#B	S-DSS-21362
DADS2490#B	S-DSS-21372
DADS2490#B	S-DSS-21376