

Table 1 - DMS GTWAY CI L4 Modifications
CCR 97-1449B
Data Reflects RTM Baseline of 10/28/97

LEVEL_4	PARAGRAPH_ID	OBJECT_ID	REL_EAS_E	REQ_TYPE	REQ_STATUS	VERIFICATION_METHOD	VERIFICATION_STATUS	CCR	TEXT
cc	S-DMS-30060	8581	B0	functional	incremental	test	unverified	96-1363A	The GTWAY CI shall provide the capability to establish sessions as the <u>context</u> for a series of service requests.
Ct	S-DMS-30060		<u>B1</u>						The GTWAY CI shall provide the capability to establish sessions as the <u>context</u> for a series of service requests.
Cc	S-DMS-30090	8584	B0	functional	incremental	test	unverified	96-1363A	The GTWAY CI shall provide the capability to terminate an established session.
Ct	S-DMS-30090		<u>B1</u>						
Cc	S-DMS-30310	8592	B0	functional	incremental	test	unverified	96-1363A	The GTWAY CI shall have the capability to send Inventory Search Requests to the Version 0 IMS using Version 0 system protocols.
Ct	S-DMS-30310	8592	<u>B1</u>						
Cc	S-DMS-30320	8593	B0	functional	incremental	test	unverified	96-1363A	The GTWAY CI shall have the capability to receive Inventory Search Results from the Version 0 IMS using Version 0 system protocols.
Ct	S-DMS-30320		<u>B1</u>						
Cc	S-DMS-	8594	B0	functional	incremental	test	unverified	96-1363A	The GTWAY CI shall have the

Table 1 - DMS GTWAY CI L4 Modifications
CCR 97-1449B
Data Reflects RTM Baseline of 10/28/97

LEVEL_4	PARAGRAPH_ID	OBJECT_ID	REL_EAS_E	REQ_TYPE	REQ_STATUS	VERIFICATION_METHOD	VERIFICATION_STATUS	CCR	TEXT
	30340								capability to send Browse Requests to the Version 0 IMS using Version 0 system protocols.
Ct	S-DMS-30340		<u>B1</u>						
Cc	S-DMS-30345	8595	<u>B0</u>	interface	incremental	test	unverified	96-1363A	The GTWAY CI shall have the capability to receive Browse Results from the V0 IMS using Version 0 protocols.
Ct	S-DMS-30345		<u>B1</u>						
Cc	S-DMS-30350	8596	<u>B0</u>	functional	incremental	test	unverified	96-1363A	The GTWAY CI shall have the capability to send Product Requests to the Version 0 IMS using Version 0 system protocols.
Ct	S-DMS-30350		<u>B1</u>						
Cc	S-DMS-30368	11092	<u>A</u>	functional	approved	test	unverified	96-0976A	The GTWAY CI shall have the capability to process V0 Inventory Search Requests.
Ct	S-DMS-30368		<u>B0</u>						
Cc	S-DMS-30369	11095	<u>A</u>	functional	approved	test	unverified	96-0976A	The GTWAY CI shall have the capability to process V0 Directory Search Requests
Ct	S-DMS-		<u>B0</u>						

Table 1 - DMS GTWAY CI L4 Modifications
CCR 97-1449B
Data Reflects RTM Baseline of 10/28/97

LEVEL_4	PARAGRAPH_ID	OBJECT_ID	REL_EAS_E	REQ_TYPE	REQ_STATUS	VERIFICATION_METHOD	VERIFICATION_STATUS	CCR	TEXT
	30369								
cc	S-DMS-30384	11090	A	functional	approved	test	unverified	96-0976A	The GTWAY CI shall have the capability to process V0 Browse Requests.
Ct	S-DMS-30384		<u>B0</u>						
Cc	S-DMS-30404	11096	A	functional	approved	test	unverified	96-0976A	The GTWAY CI shall have the capability to process V0 Product Requests.
Ct	S-DMS-30404		<u>B0</u>						
Cc	S-DMS-30408	11097	A	interface	approved	test	unverified	96-0976A	The GTWAY CI shall have the capability to send Product Request acknowledgements to the ECS Client using Version 0 system protocols.
Ct	S-DMS-30408		<u>B0</u>						
Cc	S-DMS-30520	9136	A	functional	incremental	demo			The GTWAY CI shall provide utilities which extract from the Data Dictionary the information needed by the V0 Client, in the format expected by the V0 Client.
Ct	S-DMS-30520		<u>B0</u>				<u>unverified</u>		
Cc	S-DMS-30540	3133	A	functional	incremental	demo			The GTWAY CI shall provide the capability to translate

Table 1 - DMS GTWAY CI L4 Modifications
CCR 97-1449B
Data Reflects RTM Baseline of 10/28/97

LEVEL_4	PARAGRAPH_ID	OBJECT_ID	REL_EAS_E	REQ_TYPE	REQ_STATUS	VERIFICATION_METHOD	VERIFICATION_STATUS	CCR	TEXT
									Version 0 system protocol into ECS system protocols.
Ct	S-DMS-30540		<u>B0</u>				<u>unverified</u>		
cc	S-DMS-30570	8599	B0	functional	incremental	test	unverified	96-1363A	The GTWAY CI shall support two-way Level 3 catalog interoperability, as defined by the CEOS, for the interface between the ECS and V0.
Ct	S-DMS-30570		<u>B1</u>						The GTWAY CI shall support two-way Level 3 catalog interoperability for the interface between the ECS and V0.
Cc	S-DMS-30620	8602	B0	interface	incremental	test	unverified	96-1363A	The GTWAY CI shall have the capability to receive User Authentication Requests from the NOAA SAAs using Version 0 system protocols.
Ct	S-DMS-30620		<u>B1</u>						
Cc	S-DMS-30630	8603	B0	interface	incremental	test	unverified	96-1363A	The GTWAY CI shall have the capability to send User Authentication Information to the NOAA SAAs using Version 0 system protocols.
Ct	S-DMS-30630		<u>B1</u>						

Table 1 - DMS GTWAY CI L4 Modifications
CCR 97-1449B
Data Reflects RTM Baseline of 10/28/97

LEVEL_4	PARAGRAPH_ID	OBJECT_ID	REL_EAS_E	REQ_TYPE	REQ_STATUS	VERIFICATION_METHOD	VERIFICATION_STATUS	CCR	TEXT
Cc	S-DMS-30660	8606	B0	interface	incremental	test	unverified	96-1363A	The GTWAY CI shall have the capability to send Inventory Search Requests to the NOAA SAs using Version 0 system protocols.
Ct	S-DMS-30660		<u>B1</u>						
Cc	S-DMS-30670	8607	B0	interface	incremental	test	unverified	96-1363A	The GTWAY CI shall have the capability to receive Inventory Search Results from the NOAA SAs using Version 0 system protocols.
Ct	S-DMS-30670		<u>B1</u>						
Cc	S-DMS-30690	8609	B0	interface	incremental	test	unverified	96-1363A	The GTWAY CI shall have the capability to send Browse Requests to the NOAA SAs using Version 0 system protocols.
Ct	S-DMS-30690		<u>B1</u>						
Cc	S-DMS-30695	8610	B0	interface	incremental	test	unverified	96-1363A	The GTWAY CI shall have the capability to receive Browse Results from the NOAA SAs using Version 0 system protocols.
Ct	S-DMS-30695		<u>B1</u>						

Table 1 - DMS GTWAY CI L4 Modifications
CCR 97-1449B
Data Reflects RTM Baseline of 10/28/97

LEVEL_4	PARAGRAPH_ID	OBJECT_ID	REL_EAS_E	REQ_TYPE	REQ_STATUS	VERIFICATION_METHOD	VERIFICATION_STATUS	CCR	TEXT
Cc	S-DMS-30700	8611	B0	interface	incremental	test	unverified	96-1363A	The GTWAY CI shall have the capability to send Product Requests to the NOAA SAs using Version 0 system protocols.
Ct	S-DMS-30700		<u>B1</u>						
Cc	S-DMS-30710	8612	B0	interface	incremental	test	unverified	96-1363A	The GTWAY CI shall have the capability to receive Product Delivery Status from the NOAA SAs using Version 0 system protocols.
Ct	S-DMS-30710		<u>B1</u>						
Cc	S-DMS-30720	8613	B0	interface	incremental	test	unverified	96-1363A	The GTWAY CI shall have the capability to send Product Delivery Status Requests to the NOAA SAs using Version 0 system protocols.
Ct	S-DMS-30720		<u>B1</u>						
Cc	S-DMS-30740	8615	B0	interface	incremental	test	unverified	96-1363A	The GTWAY CI shall have the capability to send Product Delivery Status to the NOAA SAs using Version 0 system protocols.
Ct	S-DMS-30740		<u>B1</u>						

Table 1 - DMS GTWAY CI L4 Modifications
CCR 97-1449B
Data Reflects RTM Baseline of 10/28/97

LEVEL_4	PARAGRAPH_ID	OBJECT_ID	REL_EAS_E	REQ_TYPE	REQ_STATUS	VERIFICATION_METHOD	VERIFICATION_STATUS	CCR	TEXT
Cc	S-DMS-30750	8616	B0	interface	incremental	test	unverified	96-1363A	The GTWAY CI shall have the capability to receive Product Delivery Status Requests from the NOAA SAAs using Version 0 system protocols.
Ct	S-DMS-30750		<u>B1</u>						
Cc	S-DMS-30800	8618	B0	functional	incremental	test	unverified	96-1363A	The GTWAY CI shall be able to provide notification of events associated with sessions which require additional instructions, e.g., when requests exceed a specified threshold.
Ct	S-DMS-30800		<u>B1</u>						
Cc	S-DMS-30805	8619	B0	functional	incremental	test	unverified	96-1363A	The GTWAY CI shall be able to provide notification of events associated with Service requests which require additional instructions, e.g., when resources for a request exceed a specified threshold.
Ct	S-DMS-30805		<u>B1</u>						
Cc	S-DMS-30820	8621	B0	functional	incremental	test	unverified	96-1363A	The GTWAY CI shall provide the capability to accept and utilize the entry point to be

Table 1 - DMS GTWAY CI L4 Modifications
CCR 97-1449B
Data Reflects RTM Baseline of 10/28/97

LEVEL_4	PARAGRAPH_ID	OBJECT_ID	REL_EAS_E	REQ_TYPE	REQ_STATUS	VERIFICATION_METHOD	VERIFICATION_STATUS	CCR	TEXT
									used for asynchronous notification in asynchronous Service Requests.
Ct	S-DMS-30820		<u>B1</u>						
Cc	S-DMS-30830	8622	B0	functional	incremental	test	unverified	96-1363A	The GTWAY CI shall provide the capability to disable asynchronous notifications, and provide default instructions for such notification events.
Ct	S-DMS-30830		<u>B1</u>						
Cc	S-DMS-30840	8623	B0	functional	incremental	test	unverified	97-1217A	The GTWAY CI shall be able to accept notifications of events associated with sessions it has with other services.
Ct	S-DMS-30840		<u>B1</u>						
Cc	S-DMS-30845	8624	B0	functional	incremental	test	unverified	96-1363A	The GTWAY CI shall be able to accept notifications of events associated with Service requests it issued to other services.
Ct	S-DMS-30845	8624	<u>B1</u>						
Cc	S-DMS-30850	8625	B0	functional	incremental	test	unverified	96-1363A	The GTWAY CI shall provide a capability to accept

Table 1 - DMS GTWAY CI L4 Modifications
CCR 97-1449B
Data Reflects RTM Baseline of 10/28/97

LEVEL_4	PARAGRAPH_ID	OBJECT_ID	REL_EAS_E	REQ_TYPE	REQ_STATUS	VERIFICATION_METHOD	VERIFICATION_STATUS	CCR	TEXT
									instructions associated with responses to notifications of events.
Ct	S-DMS-30850		<u>B1</u>						
Cc	S-DMS-30890	8628	B0	functional	incremental	test	unverified	96-1363A	The GTWAY CI shall support multiple concurrent sessions.
Ct	S-DMS-30890		<u>B1</u>						
Cc	S-DMS-30900	8629	B0	functional	incremental	test	unverified	96-1363A	The GTWAY CI shall support multiple service requests within a session.
Ct	S-DMS-30900		<u>B1</u>						
Cc	S-DMS-30910	8630	B0	functional	incremental	test	unverified	96-1363A	The GTWAY CI shall log the initiation of a session.
Ct	S-DMS-30910		<u>B1</u>						
Cc	S-DMS-30920	8631	B0	functional	incremental	test	unverified	96-1363A	The GTWAY CI shall log the termination of a session.
Ct	S-DMS-30920		<u>B1</u>						
Cc	S-DMS-30990	8638	B0	functional	incremental	test	unverified	96-1363A	The GTWAY CI shall send Notifications to users via email in the event that a user's request or session is canceled by operations staff.
Ct	S-DMS-		<u>B1</u>						The GTWAY CI shall send

Table 1 - DMS GTWAY CI L4 Modifications
CCR 97-1449B
Data Reflects RTM Baseline of 10/28/97

LEVEL_4	PARAGRAPH_ID	OBJECT_ID	REL_EAS_E	REQ_TYPE	REQ_STATUS	VERIFICATION_METHOD	VERIFICATION_STATUS	CCR	TEXT
	30990								Notifications to users via email in the event that user's requests or sessions are canceled by operations staff.
Cc	S-DMS-31000	8639	B0	functional	incremental	test	unverified	96-1363A	The GTWAY CI shall provide the capability to restore a session after interruption.
Ct	S-DMS-31000		<u>B1</u>						
Cc	S-DMS-31010	9672	A	interface	incremental	demo			The GTWAY CI shall log to MSS the initiation of all Service requests.
Ct	S-DMS-31010		<u>B0</u>				<u>unverified</u>		
Cc	S-DMS-31011	9674	B0	interface		test	unverified	96-1363A	The GTWAY CI shall log the startup of the GTWAY servers to MSS.
Ct	S-DMS-31011				<u>incremental</u>				
cc	S-DMS-31012	9675	B0	interface		test	unverified	96-1363A	The GTWAY CI shall log the shutdown of the GTWAY servers to MSS.
ct	S-DMS-31012				<u>incremental</u>				
cc	S-DMS-31013	9677	B0	interface		test	unverified	96-1363A	The GTWAY CI shall log to MSS when a service request is activated from the queue.
Ct	S-DMS-				<u>incremental</u>				

Table 1 - DMS GTWAY CI L4 Modifications
CCR 97-1449B
Data Reflects RTM Baseline of 10/28/97

LEVEL_4	PARAGRAPH_ID	OBJECT_ID	REL_EAS_E	REQ_TYPE	REQ_STATUS	VERIFICATION_METHOD	VERIFICATION_STATUS	CCR	TEXT
	31013								
Cc	S-DMS-31014	9678	B0	interface		test	unverified	96-1363A	The GTWAY CI shall log to MSS when a service request has been successfully decomposed into its component requests.
Ct	S-DMS-31014		<u>B1</u>		<u>incremental</u>				
Cc	S-DMS-31015	9680	B0	interface		test	unverified	96-1363A	The GTWAY CI shall log to MSS when an external connection to the V0 IMS server has been established.
Ct	S-DMS-31015		<u>B1</u>		<u>incremental</u>				
Cc	S-DMS-31016	9681	B0	interface		test	unverified	96-1363A	The GTWAY CI shall log to MSS when the component service request has been submitted to the V0 IMS server.
Ct	S-DMS-31016		<u>B1</u>		<u>incremental</u>				
Cc	S-DMS-31017	9683	B0	interface		test	unverified	96-1363A	The GTWAY CI shall log to MSS when the request to the V0 IMS server has been successfully returned.
Ct	S-DMS-31017		<u>B1</u>		<u>incremental</u>				
Cc	S-DMS-	9684	B0	interface		test	unverified	96-1363A	The GTWAY CI shall log to

Table 1 - DMS GTWAY CI L4 Modifications
CCR 97-1449B
Data Reflects RTM Baseline of 10/28/97

LEVEL_4	PARAGRAPH_ID	OBJECT_ID	REL_EAS_E	REQ_TYPE	REQ_STATUS	VERIFICATION_METHOD	VERIFICATION_STATUS	CCR	TEXT
	31018								MSS when the results of the request has been integrated and status is about to be sent to the client program.
Ct	S-DMS-31018				<u>incremental</u>				The GTWAY CI shall log to MSS when the results of the request <u>have</u> been integrated and status is about to be sent to the client program.
Cc	S-DMS-31040	3170	A	functional	incremental	demo			The GTWAY CI shall log the termination or successful completion of service requests.
Ct	S-DMS-31040		<u>B0</u>				<u>unverified</u>		
Cc	S-DMS-31045	11098	A	functional	approved	test	unverified	96-0976A	The GTWAY CI shall store statistics received from the ECS Client.
Ct	S-DMS-31045		<u>B0</u>						
Cc	S-DMS-31051	9617	B0	interface		test	unverified	96-1363A	The GTWAY CI shall send detected hardware and software fault information to MSS.
Ct	S-DMS-31051				<u>incremental</u>				
cc	S-DMS-31052	9621	B0	interface		test	unverified	96-1363A	The GTWAY CI shall provide configuration management data such as software versions

Table 1 - DMS GTWAY CI L4 Modifications
CCR 97-1449B
Data Reflects RTM Baseline of 10/28/97

LEVEL_4	PARAGRAPH_ID	OBJECT_ID	REL_EAS_E	REQ_TYPE	REQ_STATUS	VERIFICATION_METHOD	VERIFICATION_STATUS	CCR	TEXT
									to MSS using managed process framework.
Ct	S-DMS-31052				<u>incremental</u>				
Cc	S-DMS-31053	9632	B0	interface		test	unverified	96-1363A	The GTWAY CI shall collect Performance Management Data using the MSS managed object components and provide it to the MSS at configurable intervals and on demand.
Ct	S-DMS-31053				<u>incremental</u>				
Cc	S-DMS-31054	9635	B0	interface		test	unverified	96-1363A	The GTWAY CI shall collect Security Management Data (such as rejected access to a service) and provide it to the MSS.
Ct	S-DMS-31054				<u>incremental</u>				
cc	S-DMS-31055	12339	<u>B1</u>	interface	incremental	test	unverified	97-0107A	The GTWAY CI shall report Accountability Management Data (requests such as searches, browse requests, orders) to the MSS.
ct	S-DMS-31055		<u>B0</u>						
cc	S-DMS-31056	9625	B0	functional		test	unverified	96-1363A	The GTWAY CI shall support the MSS in collecting

Table 1 - DMS GTWAY CI L4 Modifications
CCR 97-1449B
Data Reflects RTM Baseline of 10/28/97

LEVEL_4	PARAGRAPH_ID	OBJECT_ID	REL_EAS_E	REQ_TYPE	REQ_STATUS	VERIFICATION_METHOD	VERIFICATION_STATUS	CCR	TEXT
									Accounting Management Data by supplying resource utilization data.
Ct	S-DMS-31056				<u>incremental</u>				
Cc	S-DMS-31057	12340	B1	interface		test	unverified	97-0107A	The GTWAY CI shall provide to MSS configuration information such as number of expected daily sessions, which will be used by MSS to compare plans to actuals (i.e., schedule management).
Ct	S-DMS-31057				<u>incremental</u>				
Cc	S-DMS-31100	8645	B0	interface	incremental	test	unverified	96-1363A	The GTWAY CI shall have the capability to send Guide queries to the NOAA SAAs using Version 0 protocols.
Ct	S-DMS-31100	8645	<u>B1</u>						
cc	S-DMS-31120	8646	B0	interface	incremental	test	unverified	96-1363A	The GTWAY CI shall have the capability to send Guide query results to the NOAA SAAs using Version 0 protocols.
Ct	S-DMS-31120		<u>B1</u>						
Cc	S-DMS-31160	8649	B0	interface	incremental	test	unverified	96-1363A	The GTWAY CI shall have the capability to send Guide

Table 1 - DMS GTWAY CI L4 Modifications
CCR 97-1449B
Data Reflects RTM Baseline of 10/28/97

LEVEL_4	PARAGRAPH_ID	OBJECT_ID	REL_EAS_E	REQ_TYPE	REQ_STATUS	VERIFICATION_METHOD	VERIFICATION_STATUS	CCR	TEXT
									Search Requests to the V0 IMS using Version 0 protocols.
Ct	S-DMS-31160		<u>B1</u>						
Cc	S-DMS-31190	8650	<u>B0</u>	interface	incremental	test	unverified	96-1363A	The GTWAY CI shall have the capability to receive Guide Search Results from the V0 IMS using Version 0 protocols.
Ct	S-DMS-31190		<u>B1</u>						
Cc	S-DMS-31200	11078	<u>A</u>	functional	incremental	demo	unverified	96-1017A	The GTWAY CI shall use a standard query language (SQL) for data base management queries.
Ct	S-DMS-31200		<u>B0</u>						
Cc	S-DMS-31220	11079	<u>A</u>	functional	incremental	demo	unverified	96-1017A	The GTWAY CI shall have the capability to insert the request priority in the inventory search request.
Ct	S-DMS-31220		<u>B0</u>						
Cc	S-DMS-31230	11190	<u>A</u>	functional	incremental	demo	unverified	96-1042	The GTWAY shall have the capability to receive User Authentication Information from the ECS Client using V0 system protocols for each

Table 1 - DMS GTWAY CI L4 Modifications
CCR 97-1449B
Data Reflects RTM Baseline of 10/28/97

LEVEL_4	PARAGRAPH_ID	OBJECT_ID	REL_EAS_E	REQ_TYPE	REQ_STATUS	VERIFICATION_METHOD	VERIFICATION_STATUS	CCR	TEXT
									service request.
Ct	S-DMS-31230		<u>B0</u>						
Cc	S-DMS-31240	11191	A	functional	incremental	demo	unverified	96-1042	The GTWAY CI shall request user profile information from the MSS based on the authenticator information.
Ct	S-DMS-31240		<u>B0</u>						
Cc	S-DMS-31250	11192	A	functional	incremental	demo	unverified	96-1042	The GTWAY shall log the user into the Distributive Computing Environment (DCE) using user profile information received from MSS.
Ct	S-DMS-31250		<u>B0</u>						
cc	S-DMS-31270	11195	A	functional	incremental	demo	unverified	96-1042	The GTWAY CI shall obtain the Product Request Priority from the User Profile obtained from MSS.
ct	S-DMS-31270		<u>B0</u>						
cc	S-DMS-31280	11196	A	functional	incremental	demo	unverified	96-1042	The GTWAY CI shall send the Product Request and Product Request Priority to the DSS for processing and distribution.
Ct	S-DMS-		<u>B0</u>						

Table 1 - DMS GTWAY CI L4 Modifications
CCR 97-1449B
Data Reflects RTM Baseline of 10/28/97

LEVEL_4	PARAGRAPH_ID	OBJECT_ID	REL_EAS_E	REQ_TYPE	REQ_STATUS	VERIFICATION_METHOD	VERIFICATION_STATUS	CCR	TEXT
	31280								
Cc	S-DMS-31290	11189	A	functional	incremental	inspection	unverified	96-1042	The GTWAY CI shall provide a configuration controlled API which supports the submission of requests in accordance with the V0 protocol
Ct	S-DMS-31290		<u>B0</u>						
cc	S-DMS-33050	10683	A	interface	incremental	test	unverified	96-0936A	The GTWAY CI shall accept in the V0 processing options, instructions to provide production history information and the ancillary input data associated with a granule, for the granules listed in the V0 request.
Ct	S-DMS-33050		<u>B0</u>						
Cc	S-DMS-33060	10684	A	functional	incremental	test	unverified	96-0936A	The GTWAY CI shall parse the V0 processing options and translate requests for production history information and ancillary input data contained in these options into corresponding orders for production history and ancillary data to the SDSRV CI, ensuring that no duplicate

Table 1 - DMS GTWAY CI L4 Modifications
CCR 97-1449B
Data Reflects RTM Baseline of 10/28/97

LEVEL_4	PARAGRAPH_ID	OBJECT_ID	REL_EAS_E	REQ_TYPE	REQ_STATUS	VERIFICATION_METHOD	VERIFICATION_STATUS	CCR	TEXT
									history files and ancillary granules are being ordered (e.g., if the same history file is referenced by several of the granules listed in the V0 request).
Ct	S-DMS-33060		<u>B0</u>						
Cc	S-DMS-33070	10685	A	interface	incremental	test	unverified	96-0936A	The GTWAY CI shall submit orders for production history and ancillary data to the SDSRV CI.
Ct	S-DMS-33070		<u>B0</u>						
Cc	S-DMS-33080	10686	A	interface	incremental	test	unverified	96-0936A	If the V0 processing options specify an order for production history, the GTWAY CI shall also submit a query to the SDSRV CI to obtain the PGE name, PGE version-, ancillary granule IDs, orbit parameter file references, and a list of input granule IDs, for each of the granules listed in the V0 request; and return the result via e-mail.
Ct	S-DMS-33080		<u>B0</u>						If the V0 processing options specify an order for production

Table 1 - DMS GTWAY CI L4 Modifications
CCR 97-1449B
Data Reflects RTM Baseline of 10/28/97

LEVEL_4	PARAGRAPH_ID	OBJECT_ID	REL_EAS_E	REQ_TYPE	REQ_STATUS	VERIFICATION_METHOD	VERIFICATION_STATUS	CCR	TEXT
									history, the GTWAY CI shall also submit a query to the SDSRV CI to obtain the PGE name, PGE version-, ancillary granule Ids, orbit parameter file references, and a list of input granule IDs, for each of the granules listed in the V0 request; and return the result via e-mail.
EOT									